

در دنیای ارتباطات حرفه ای، یکی از روش های حفظ و گسترش ارتباط با دیگران رسم همیشگی هدیه دادن است. تقدیم هدایای ماندگار و کاربردی سبب می شود دوستان، همکاران، مشتریان و عزیزان ما همواره به یاد ما باشند و رشته ارتباطی ما پیوسته برقرار باشد. این کاتالوگ در بر گیرنده محصولاتی از نام تجاری تسکو است که مناسب هدایای فردی و سازمانی است. برای مشاهده کلیه محصولات تسکو در دسته بندی های متنوع (محصولات جانبی کامپیوتر، موبایل، صوتی-تصویری، و تجهیزات حرفه ای گیمینگ) به وب سایت رسمی شرکت تسکو مراجعه فرمایید.



Computer, Mobile & Auto Accessories

شرکت توسن سیستم شرق در سال ۱۳۸۱ فعالیت خود را در زمینه لوازم جانبی کامپیوتر و موبایل آغاز کرد و تا به امروز گستره خدمات خود را به سراسر کشور پهناورمان ایران رسانده است. فعالیت شرکت توسن سیستم شرق ابتدا با هدف توزیع و پخش برندهای مطرح در حوزه لوازم جانبی کامپیوتر تأسیس گردید که در ادامه با افزایش درخواست مشتریان به کالاهای کاربردی‌تر و عرضه محصولات با برند ایرانی تسکو TCSO منجر گردید.

این آغاز، تلاشی است که تا به امروز ادامه داشته و ثمره آن تولید و عرضه بیش از ۵۰۰ کالای متنوع در حوزه‌های مختلف لوازم جانبی کامپیوتر، موبایل و صوتی - تصویری بوده است.

مجموعه توسن سیستم حاصل تبلور نگاه و نیاز مصرف کنندگان ایرانی است. سیستم تولید ما بر پایه تفکر مشتری‌مداری و با تکیه بر کیفیت و استفاده از تکنولوژی روز جهانی است. روند حرکت تسکو از بطن بازار بوده و به همین جهت توانایی و ظرفیت پاسخگویی به بسیاری از درخواست‌های مصرف کنندگان داخلی و حتی کشورهای همسایه را دارا می‌باشد. تسکو TCSO می‌کوشد تا فناوری روز دنیا را در قالب سبک زندگی ایرانی ارائه دهد و لبخند رضایت مشتریان خود را بعنوان نتیجه‌ای ارزشمند همواره حفظ نماید.

ABOUT US

Headphone 14

Holder 32

Watch 38

Charger 41

Keyboard & Mouse 48

4 Speaker

24 Power Bank

37 Gift Products

40 Cable

47 Android Box

52 Other Accessories

TS 23300

Portable

Connector	USB/TF Card/FM/AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w x 2
Sound Resolution	80 dB
Weight	470 gr



TS 23004

Portable

Connector	TWS/USB/FM/AUX/NFC
Bluetooth Version	5.0
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w x 2
Sound Resolution	80 dB



5

TS 23030

Portable

Connector	USB/TF Card/FM/AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w x 2
Sound Resolution	80 dB
Weight	470 gr



TS 23150

Karaoke

Portable

Connector	USB/TF Card/FM/AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	1500 mAh
Real Power (RMS)	5w x 2
Sound Resolution	80 dB
Weight	863 gr



TS 23151

Portable

Connector	USB/TF Card/FM/AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	1500 mAh
Real Power (RMS)	5w x 2
Sound Resolution	80 dB
Weight	693 gr



TS 23350

Portable

Connector	USB/TF Card/AUX/TWS Noise Cancelling
Bluetooth Version	5.1
Support Distance	10 m
Lithium Battery Capacity	1800 mAh
Real Power (RMS)	5w x 2
Sound Resolution	90 dB
Weight	900 gr



SoundBar Design



7

TS 23001

Portable

Connector	USB/TF Card/FM/TWS Call Function
Bluetooth Version	5.0
Support Distance	10 m
Lithium Battery Capacity	400 mAh
Real Power (RMS)	5w
Sound Resolution	80 dB
Weight	233 gr



TS 2305

Portable

Connector	USB/TF Card/FM/AUX
Support Distance	10 m
Lithium Battery Capacity	7200 mAh
Real Power (RMS)	15w x 2
Sound Resolution	80 dB
Weight	2190 gr



TS 2316

Portable

Connector	USB/Micro SD/AUX/FM
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w x 2
Sound Resolution	85 dB
Weight	516 gr



TS 2310

Portable

Connector	USB/TF/BT/FM/AUX/Call Function
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w
Sound Resolution	80 dB
Weight	350 gr



9

TS 23500

Portable

Connector	USB/TF Card/FM/AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	10400 mAh
Real Power (RMS)	25w x 2
Sound Resolution	80 dB
Weight	1750 gr



TS 1313

Neckband

Connector	Bluetooth
Support Distance	10 m
Lithium Battery Capacity	300 to 980 mAh
Real Power (RMS)	2w x 2
Sound Resolution	80 dB
Colour	Black



Headset Bluetooth Wireless +Speaker

Noise Cancelling
Bluetooth Version 5.0

TS 23310

Portable

Connector	Micro SD card,Bluetooth, TWS function, call
Bluetooth Version	5.1
Support Distance	function10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w
Sound Resolution	80 dB
Weight	221 gr



11

TS 23006

Portable

Connector	TWS/U disk/TF Card/AUX/FM Call Function/Microphone
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	5w
Sound Resolution	80 dB
Weight	475 gr



TS 23020

Portable


Connector	Bluetooth/TWS
Bluetooth Version	5.0
Call Function	
Support Distance	10 m
Lithium Battery Capacity	300 mAh
Real Power (RMS)	5w
Sound Resolution	65 dB
Weight	233 gr

**Silicone
Coverage**

Microphone Input

Fantasy Speakers

12



TS 2323

Portable

Connector	AUX/TWS
Support Distance	10 m
Lithium Battery Capacity	650 mAh
Real Power (RMS)	3w x 2
Sound Resolution	65 dB
Weight	309 gr



13

TS 23420

Portable

Connector	TF Card/Bluetooth
Bluetooth Version	5.0
Call Function	
Support Distance	10 m
Lithium Battery Capacity	2200 mAh
Real Power (RMS)	10w x 2
Sound Resolution	75 dB
Weight	755 gr



Karaoke
RGB
Wireless Mic

TS 2349

Portable

Connector	USB/TF Card/AUX/FM/BT
Support Distance	10 m
Lithium Battery Capacity	1200 mAh
Real Power (RMS)	8w
Sound Resolution	86 dB
Weight	563 gr



TH 5125

Gaming Headphone

Connection	Wired Gaming
Call Function	Yes
Control Volume	Yes
Material of Cable	PVC
Lentgh of Cable	2.0 M
Sesitivity of Speaker	98 dB
Sesitivity of Microphone	-45 dB



**GAMING
HEADPHONE**



TH 5323

Headphone

Connection	BT, Micro SD card , AUX, FM Yes
Bluetooth Version	5.0
	Call Function
Capacity of Battery	400 mAh
Charge Time	2 hr
Talk Time	12 hr
Music Time	3.6 hr
Standby Time	6 hr
Sound Resolution	81 dB

15


Headphone & Speaker Volume Control



TH 5384

Neckband


Connector	BT
Bluetooth Version	5.0
Call Function	
Capacity of Battery	200 mAh
Charge Time	1-1.5 hr
Talk Time	16-18 hr
Music Time	18-20 hr
Standby Time	300 hr



TH 5385

Neckband

Connector	BT
Call Function	Yes
Capacity of Battery	110 mAh
Charge Time	2 hr
Talk Time	6 hr
Music Time	7 hr
Standby Time	90 hr



TH 5016

Headset

Type
Volume Control
Length of Cable
Material of Cable

Wired
Yes
2 M
Cotton



Jack 3.5 mm

17

TH 5018

Headset

Type
Volume Control
Length of Cable
Material of Cable

Wired
Yes
2 M
Cotton



USB



TH 5377

Headphone

Connection	TF Card/AUX/FM
Call Function	Yes
Capacity of Battery	200 mAh
Charge Time	1.5 hr
Talk Time	4 hr
Music Time	4-5 hr
Standby Time	10 hr
Sensitivity of Speaker	115 dB
Sensitivity of Microphone	-42 dB



TH 5345

Headphone

Connection	TF Card/AUX/FM
Call Function	Yes
Capacity of Battery	250 mAh
Charge Time	1.5 hr
Talk Time	12 hr
Music Time	6 hr
Standby Time	6 Month
Sensitivity of Speaker	81 dB
Sensitivity of Microphone	-42 dB



TH 5347

Headphone

Connection	TF Card/AUX/FM/NFC
Bluetooth Version	5.0
	Call Function
Capacity of Battery	450 mAh
Charge Time	3 hr
Talk Time	12 hr
Music Time	8 hr
Standby Time	6 Month
Sensitivity of Speaker	81 dB
Sensitivity of Microphone	-42 dB

2 in 1
Speaker & Headphone



19

TH 5336

Headphone

Call Function

Connection	TF Card/AUX/FM
Bluetooth Version	4.2
Capacity of Battery	300 mAh
Charge Time	2 hr
Talk Time	5 hr
Music Time	5 hr
Standby Time	40 hr
Sensitivity of Speaker	103 dB
Sensitivity of Microphone	-42 dB



TH 5368

Earphone

Connector	BT
Capacity of Battery	300 mAh
Charge Time	1.5 hr
Talk Time	4.5 hr
Music Time	5 hr
Standby Time	60 hr
Sound Resolution	110 dB



TH 5365

Earphone

Connector	BT
Bluetooth Version	5.1
Capacity of Battery	300 mAh
Charge Time	1-2 hr
Talk Time	6 hr
Music Time	6 hr
Standby Time	200 hr
Sound Resolution	96 dB



TH 5366

Earphone

Connector	BT
Bluetooth Version	5.2
Capacity of Battery	300 mAh
Charge Time	1 hr
Talk Time	4.5 hr
Music Time	4.5 hr
Standby Time	120 hr
Sound Resolution	96 dB



21

TH 5367

Earphone

Connector	BT
Capacity of Battery	300 mAh
Charge Time	1 hr
Talk Time	About 5.5 hr
Music Time	About 6.5 hr
Standby Time	120 hr
Sound Resolution	90 dB



TH 5369

Earphone

Connector	BT
Capacity of Battery	300 mAh
Charge Time	1 hr
Talk Time	About 5.5 hr
Music Time	About 6.5 hr
Standby Time	120 hr
Sound Resolution	90 dB



TH 6350

Earphone

Connector	BT
Capacity of Battery	350 mAh
Charge Time	2.5-2 hr
Talk Time	6 hr
Music Time	7 hr
Standby Time	50 hr
Sound Resolution	97 dB



TH 9300N

Bluetooth V5.2
Noise Cancelling

Airpods	Capacity	45 mAh
	Charging Time	1 hr
Case	Talk Time	About 4 hr
	Music Play	About 5 hr
	Support Distance	15 m
	Capacity	360 mAh
	Charging Methods	Lightning
	Input	3.7 v
	Charging	About 90 mins



TH 9100

Earphone	Connector	BT
	Bluetooth Version	5.1
	Capacity of Battery	230 mAh
	Charge Time	Wired: 1.5 hr Wireless: 2 hr
	Support Distance	10 m
	Talk Time	About 4 hr
	Music Time	About 4.5 hr
	Standby Time	30 hr
	Sound Resolution	113 dB



TH 5353

Earphone	Connector	BT
	Bluetooth Version	5.0
	Capacity of Battery	400 mAh
	Charge Time	1.5 hr
	Talk Time	About 4.5 hr
	Music Time	About 6 hr
	Standby Time	About 80 hr
	Sound Resolution	96 dB



Wireless Charging Support

TH 6340

Earphone	Connector	BT
	Capacity of Battery	300 mAh
	Charge Time	1 hr
	Talk Time	4 hr
	Music Time	5-6 hr
	Standby Time	120 hr
	Sound Resolution	98 dB



TH 5387

Neckband

Connector	BT
Bluetooth Version	5.3
Capacity of Battery	400 mAh
Charge Time	1-2 hr
Talk Time	30 hr
Music Time	35 hr
Standby Time	12 days

Waterproof
32 GB Support



23

TH 5332

Neckband

Connector	BT
Bluetooth Version	4.1
Call Function	
Capacity of Battery	300 mAh
Charge Time	3.5 hr
Talk Time	15 hr
Music Time	16 hr
Standby Time	300 hr



Retractable Earbuds with Wire Management



TH 5370

Neckband

Connector	BT
Bluetooth Version	5.0
Call Function	
Capacity of Battery	500 mAh
Charge Time	4 hr
Talk Time	36 hr
Music Time	34 hr
Standby Time	400 hr



The Folding Function
Vibration for Incoming Call



TP 803

5000 mAh

Power Bank

Capacity of Battery	5000 mAh
Input Voltage	5V ,2A
Output Voltage	5V ,1A/5V ,2.1A
Charge Time	4 hr
Size	L98 x W63 x H13 mm
Weight	106 gr



TP 810

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage	5V ,2A
Output Voltage	5V ,2.1A/5V ,1A
Charge Time	6 hr
Size	L141 x W69 x H16 mm
Weight	235 gr



25

TP 829

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,2A/9V ,2A/12V ,1.5A
Input Voltage Micro USB	5V ,2A/9V ,2A/12V ,1.5A
Output Voltage USB 1	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.5A(PD)
Charge Time	5-6 hr
Size	L137 x W69 x H15.5 mm
Weight	220 gr



TP 815

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,2A
Input Voltage Micro USB	5V ,2A
Output Voltage USB 1	5V ,2.1A
Output Voltage Type C	5V ,2.1A
Charge Time	7 hr
Size	L139 x W68 x H15 mm
Weight	230 gr

LCD



1 Input 3 Output

26

TP 871

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,2A/9V ,2A/12V ,1.5A
Output Voltage USB A	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.5A(PD)
Size	L90 x W62 x H26.4 mm
Weight	199 gr



TP 831

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,2A/9V ,2A
Input Voltage Micro USB	5V ,2A/9V ,2A
Output Voltage USB 1	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.67A(PD)
Output Voltage USB 2	5V ,3A/9V ,2A/12V ,1.5A(QC)
Charge Time	5-7 hr
Size	L143 x W66 x H15 mm
Weight	250 gr



27

TP 806

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.5A
Input Voltage Micro USB	5V ,2A
Output Voltage USB A	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.67A(PD)
Charge Time	5-6 hr
Size	L142 x W67 x H14 mm
Weight	217 gr



TP 867

10000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Type C	5V ,2A/9V ,2A
Input Voltage Micro USB	5V ,2A/9V ,2A
Output Voltage USB 1	5V ,4.5A/9V ,2A/12V ,1.5A(QC)
Output Voltage USB C	5V ,3A/9V ,2.2A/12V ,1.67A(PD)
Wireless Output	5W/7.5W/10W/15W
Charge Time	5-7 hr
Size	L158 x W78 x H18 mm
Weight	230 gr

Wireless Charging
Android



28

TP 881

20000 mAh

Power Bank

Capacity of Battery	20000 mAh
Input Voltage Type C	5V ,2A/9V ,2A
Input Voltage Micro USB	5V ,2A/9V ,2A
Output Voltage USB 1	5V ,4.5A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.67A(PD)
Output Voltage USB 2	5V ,3A
Charge Time	10-13 hr
Size	L141 x W66 x H27 mm
Weight	410 gr



TP 882L

20000 mAh

Power Bank

Capacity of Battery	20000 mAh
Input Voltage Type C	5V ,2A/9V ,2.22A
Input Voltage Micro USB	5V ,2A/9V ,2.22A
Output Voltage USB 1	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.67A(PD)
Output Voltage USB 2	5V ,3A/9V ,2A/12V ,1.5A(QC)
Charge Time	9-11 hr
Size	L144 x W68 x H28 mm
Weight	470 gr

Battery Status
with LED digital Display



29

TP 885

20000 mAh

Power Bank

Capacity of Battery	20000 mAh
Input Voltage Type C	5V ,2A/9V ,2A
Input Voltage Micro USB	5V ,2A/9V ,2A
Output Voltage USB 1	5V ,2A
Output Voltage Type C	5V ,2.4A/9V ,2A/12V ,1.5A(PD)
Output Voltage USB 2	5V ,2.4A/9V ,2A/12V ,1.5A(QC)
Charge Time	7.5 hr
Size	L140 x W67.8 x H24.3 mm
Weight	400 gr



TP 887

20000 mAh

Power Bank

Capacity of Battery	20000 mAh
Input Voltage Type C	5V ,2.4A/9V ,2A/12V ,1.5A
Output Voltage USB A	5V ,4.5A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2.22A/12V ,1.67A(PD)
Charge Time	9-10 hr
Size	L88 x W63 x H30.5 mm
Weight	294 gr



TP 807

20000 mAh

Power Bank

Capacity of Battery	10000 mAh
Input Voltage Micro USB	5V ,2A
Input Voltage USB 1	5V ,2A
Output Voltage USB 1	5V ,2.1A
Output Voltage USB 2	5V ,2.1A
Charge Time	6 hr
Size	L140 x W68 x H15 mm



31

30000 mAh

TP 889

Power Bank


Capacity of Battery	30000 mAh
Input Voltage Type C	5V ,2A/9V ,2A
Input Voltage Micro USB	5V ,2A/9V ,2A
Output Voltage USB 1	5V ,3A/9V ,2A/12V ,1.5A(QC)
Output Voltage Type C	5V ,3A/9V ,2A/12V ,1.5A(PD)
Output Voltage USB 2	5V ,3A/9V ,2A/12V ,1.5A(QC)
Charge Time	15-18 hr
Size	L137 x W68 x H39 mm
Weight	510 gr



THL 1291

Wireless Charger

Suitable for	wireless charger for QC3.0 smart phones, earphones and iWatch
Current	9V ,2A/12V ,1.5A
Output Power	Phone 5W/7.5W/10W/15W Earphone 3W (Max) iwatch 2W (Max)
Material	ABS
Size	156 x 75 x 22 mm



32

Mobile, Earbuds and other Qi-certified devices



Holder

TTW 100

Suitable for	Holder by Arm
Material	ABS+Silicone
Size	160 x 110 x 70 mm

iWatch

33

Auto Tracking Mobile Holder

No App and Bluetooth Required
360 Rotation

THL 1295

Holder

Type of Connection	Holder by Arm
Material	ABS+POM+Zinc Alloy+Metal
Capacity of Battery	2200 mAh
Using Time	About 5 hr
Standby Time	6-8 hr
Size	197 x 60 x 75 mm



THL 1210

Car Holder

Type of Connection
Suitable for
Material
Size

Gravity Car Holder
Up to 7inches
ABS
L137-181 x W102 x 85H mm



34

THL 1212

Car Holder

Suitable for
Material
Size

Holder by Arm
ABS+Silicone
160 x 110 x 70 mm



THL 1214

Car Holder

Type of Connection
Suitable for
Material
Size

by Clip
4.7inches to 6.5inches
ABS+Silicone
345 x 70 x 70 mm

Orientable support
Suction cup
Screen orientable of °360



35

THL 1216

Car Holder

Suitable for
Material
Size

3-7inches
ABS+silicone
Long Arm:110-155mm
Clamp:78-115
Item Size:L180 x W80 x 100H mm




THL 1220

Holder

Suitable for
Material
Size

Mobile Phone up to 7 inches
Aluminium Alloy+ABS+Silicone
135 x 110 x 66 mm



36

THL 1255

Car Holder

Suitable for
Current
Output Power
Material
Size

Car Wireless Charger With Auto Sensing
5V ,2A/9V ,1.6A
5W/7W/10W/15W
ABS+PC
Stand: 125 x 70 x 85 mm
Body: 80 x 60 x 130 mm




TGIFT 5403

Folding Lamp

Capacity of Battery	1200 mAh
Material	ABS
Input Voltage	DC 5V (Type C)
Output Voltage	4 W
Charge Time	12 hr
Size	L170 x W46 x H40 mm

3 Lights
Brightness Adjustable




37

THL 1200

Holder

Suitable for	4.7inches to 11inches
Material	ABS+Silicone+Foam
Size	830 x 115 x 63 mm



TCRA 1500

Converter

Converter Type C to Micro USB
Converter Type C to Lightning
Converter Type C to USB A
with Type C to Type C Cable
with Ejector PIN
mobile Holder

3 Card Slots for Storing Sim Cards



38

TSW 4 Mate



Watch

Chipset	RTL8762DK
Health Sensor	BD1662
Fitness	150+ Sports Modes
Screen	1.463-inch IPS HD Round Screen
Type of Battery	402230 Polymer Lithium
Charging Type	Wireless
Protection (Waterproof, Dustproof)	IP67



TSW 8 Ultramax



Watch

Chipset	RTL8762DK
Health Sensor	BD1662
Fitness	150+ sports modes
Screen	1.463-inch IPS HD round screen
Type of Battery	622029 Polymer Lithium
Charging Type	Wireless
Protection (Waterproof, Dustproof)	IP67



39

TSW 8 Promax



Watch

Chipset	RTL8762DK
Health Sensor	BD1662
Fitness	150+ Sports Modes
Screen	1.463-inch IPS HD Round Screen
Type of Battery	551830 Polymer Lithium
Charging Type	Wireless
Protection (Waterproof, Dustproof)	IP67



TCC 350



Charging Cable

Output	5V / 3A
Type of Connection	Type C
Data Transmission	Support



TCI 400



Charging Cable

Output	5V / 2.4A
Type of Connection	Lightning
Data Transmission	Support

Made for
 iPod iPhone iPad

MFI approved for Apple
www.mfi.apple.com
MFI Code:96730583G0577



40

TCA 450



Charging Cable

Output	5V / 2.1A
Type of Connection	Micro USB
Data Transmission	Support



TCA 100



Charging Cable

Output	5V / 2.1A
Type of Connection	3 in 1
Data Transmission	Support




TTC 67



Wall Charger

Rated Voltage	AC 100-240V
Rated Current	
Type C	5V/3A ,9V/3A ,12V/3A ,15V/3A ,20V/3.25A(65W)
PPS	3.3-11V/5A
USB A	4.5V/5A ,5V/4.5A ,5V/3A ,9V/2A ,12V/1.5A(22.5W)
Number of Ports	2
Type of Ports	PD (with PPS) + QC3.0
Material	ABS+PC



41

Gallium Nitride (GaN) Charger

65W



TTC 60



Wall Charger

Rated Voltage	AC 100-240V
Rated Current	
Type C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
USB A	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A(22.5W)
Type of Port	2
Material	ABS+PC

Super Fast Charge

65W

22.5W



42

TTC 65



Wall Charger

Rated Voltage	AC 100-240V
Rated Current	
Type C	5V/3A, 9V/2.2A, 12V/1.6A(20W)
USB A	5V/3A, 9V/2A, 12V/1.5A(18W)
Type of Port	PD+QC3.0
Material	ABS+PC

20W

18W



TTC 165



Wall Charger

Rated Voltage	AC 100-240V
Rated Current	DC 5V/2.4 A
Type of Port	2 x USB A
Material	ABS+PC



20W

43

TTC 46



Wall Charger

Output	5V / 3A
Type of Connection	USB A
Data Transmission	Support



TCG 36



Car Charger

Input Voltage	DC 12-32V
Output Voltage	USB1 DC5V/9V/12V USB2+TC 5V/3.1A
Type of Ports	QC3.0+USB A+Type C
Material	ABS+PC

With FCC Standard

PD Port
10W

QC Port
18W



- Fast Charge
- Auto ID
- Dual USB

44

TCG 34



Car Charger

Input Voltage	DC 12-24V
Output Voltage	5V/3A ,9V/2A ,12V/1.5A
Type of Ports	QC 3.0
Material	ABS

Fast Charge

QC Port
18W



TCG 20



Car Charger

Input Voltage DC 12-24V
Output Voltage 5V/3A ,9V/2A ,12V/1.5A
Type of Ports 3 x USB A+QC 3.0
Material Plastic



45

TCG 53



Car Charger

Input Voltage DC 12-24V
Output Voltage USB A 5V/3A ,9V/2A ,12V/1.5A
Type C 5V/3A ,9V/2.22A ,12V/1.67A
Type of Ports USB A+Type C
Material ABS



Car & Wall CHARGER

TCG 37



Car Charger

Input Voltage	DC 12-24V
Output Voltage	QC3.0 5V/3A ,9V/2A ,12V/1.5A
Type of Ports	USB 5V/2.4A
Material	QC 3.0+USB ABS



With
Blue LED



46

TCG 38



Car Charger

Input Voltage	DC 12-24V
Output Voltage	5V ,9V ,12V
Type of Ports	2 x QC 3.0
Material	PC+Aluminium



TCG 39



Car Charger

Input Voltage	DC 12-24V
Output Voltage	USB A 3A/2A/1.5A
Type of Ports	Type C 3A/2.22A/1.67A
Material	USB A+Type C Aluminium Alloy



PD Port
20W

TAB Eco Air

Android Box

CPU

GPU

Flash

SD Ram

Power Supply

OS

WiFi

Bluetooth

Video Decoder

Quad Core/Cortex-A53

G31 MP2/Multy-Core/OpenGL ES 3.2/2.0/1.0,Vulkan 1.1,OpenCL 2.0

16 GB

DDR3 2 GB

DC 5V/2A

Android 10.0

Dual Bands 802.11AC - 2.4Ghz+5Ghz

V4.0

H.265 Main 10@L5.1 decoder up tp 4K@60fps

VP9 Profile 2 decoder up tp 4K@30fps

AVS2 JiZhun 10bit decoder up tp 4K@30fps

H.264 BP/MP/HP@L4.2 decoder up tp 4K@30fps

Multi-format

47



TKM 7022W

Keyboard & Mouse

Number of Keys	Keyboard:112/Mouse:3
Shortcut Keys	8
Support Distance	10m
Battery	Keyboard:1 x AA Alkaline Mouse:1 x AA Alkaline
Resolution	1000 dpi



TKM 8060

Keyboard & Mouse

Number of Keys	Keyboard:104/Mouse:4
Length of Cable	1.8m
Resolution	800-1200-1600-2400 dpi



TKM 7011WN

Keyboard & Mouse

Number of Keys	Keyboard:108/Mouse:4
Multimedia Keys	12
Support Distance	10m
Battery	Keyboard:1 x AA Alkaline Mouse:1 x AAA Alkaline
Resolution	800-1200-1600 dpi



TK 8038

Keyboard

Number of Keys	Keyboard:104
Multimedia Keys	12
Length of Cable	1.8m



TKM 8058

Keyboard & Mouse

Number of Keys Keyboard:104/Mouse:3
Lengh Cable 1.8m
Resolution 1000 dpi



TK 7322

Keyboard

Number of Keys Keyboard:100
Multimedia Keys Functional
Support Distance 8m
Battery 280 mAh
Rechargeable Li-Polymer Battery



49

TM 667W

Mouse

Number of Keys 6
Connector USB
Support Distance 5m
Capacity of Battery 1 x AA Alkaline
Resolution 800-1200-1600 dpi



TM 700W

Mouse

Number of Keys	4
Charging Port	Micro USB
Support Distance	10m
Capacity of Battery	400 mAh
Charging Time	1.5-2 hr
Resolution	800-1200-1600 dpi

**Rechargeable
Mouse**

Charge 2 hr
Use for 20-17 hr



TM 299

Mouse

Number of Keys	3
Connector	Micro USB
Length of Cable	1.8m
Resolution	1000 dpi



Wired Optical Mouse

TM 668W

Mouse

Number of Keys	6
Connector	USB
Support Distance	5m
Capacity of Battery	1 x AAA Alkaline
Resolution	800-1200-1600 dpi

3 Levels
Adjustable DPI



TM 295

Mouse

Number of Keys	6
Connector	Micro USB
Length of Cable	1.8m
Resolution	800-1200-1600 dpi



TM 281

Mouse

Number of Keys	4
Connector	Micro USB
Length of Cable	1.8m
Resolution	1200 dpi



TM 732GA

Mouse

Number of Keys	6
Connector	plug and play
Length of Cable	1.8m
Resolution	1200-2400-4800-7200 dpi



51

GM 2025

Mouse

Number of Keys	8
Connector	USB
Length of Cable	1.8m
Resolution	max 12800 dpi



**GAMING
MOUSE**





TMO 42

Mouse Pad

Size L437 x W350 x H3 mm

Weight 291 gr

Gaming Mouse Pad

Nano Fabric Cover

Anti Slip

Laser Cut Edge

Ultra Thick
Non-Slip Rubber Base

TMO 25

Mouse Pad

Size L245 x W200 x H15 mm

Nano Fabric Cover

Anti Slip

Laser Cut Edge



GMO 50

Mouse Pad



Size L245 x W200 x H15 mm

Gaming Mouse Pad

Nano Fabric Cover

Anti Slip

Laser Cut Edge



TMS 2000

Monitor Stand

Size 290 x 230 x 110 mm

Plastic & Glass



TMO 22

Mouse Pad

Size L200 x W230 x H2 mm

Plastic & Nano Fabric Cover
Medical & Standard
with Wrist Rest



TMO 23

Mouse Pad

Size L245 x W200 x H15 mm

Nano Fabric Cover
Anti Slip



53

TS 2062

Desktop

Connector USB/AUX
Cable Length 1 m
Real Power (RMS) 6w
Sound Reselution 80 dB



TS 2064

Desktop

Connector USB/AUX
Cable Length 1 m
Real Power (RMS) 6w
Sound Reselution 65 dB



TC 4480

PC Case

Compatible with the Motherboard	ATX/MATX/ITX
NO of USB Ports	2
NO of Audio Ports	HD AUDIO
NO of HDD Divers	2 x Hard 3.5 in - 3 x Hard 2.3 in
NO of Expansion Slots	7
NO and Size of Fan	4 x 12cm - 1 x 9 cm
Size	391 x 191 x 417.5 mm



54

TP 570W

Power Supply

Total Power	230 W
Fan Type	12 cm
Dimensions	150 x 140 x 86 mm
NO of SATA	4
Power Supply	200 to 240 V AC50 or 60 Hz

AC Input	200-240V, 5A, 50Hz-60Hz				
DC Output	+12V	+5V	+3.3V	-12V	+5VSB
Max Output Current	15A	7A	8A	0.5A	1.5A
Max Combined Current	156W	35W	26.4W	6W	7.5W
Total Power	230W				



TCLP 3100

Coolpad

Suitable for	10"-17" Notebook
Size	390 x 280 x 28 mm
NO of Fan	4
Fan Size	125 x 125 x 15 mm(2 Big Fans) 70 x 70 x 15 mm(2 Small Fans)
NO of LED	8
NO of USB	2
Adjustable Height	0-35 Degrees



55

TCLP 3116

Coolpad

Suitable for	15.6" Notebook
Size	365 x 297 x 30 mm
Weight	905 gr
NO of Fan	6
Fan Size	70 x 70 x 15 mm(2 Small Fans)
NO of LED	12
NO of USB	2
Adjustable Height	0-10-15-20-25 Degrees



www.tSCO.ir
